

☞ pico Quick Reference ☞

^_a Move to beginning of line
^_c Current cursor position
^_d Delete character
^_e Move to end of line
^_g Get Help
^_i Insert a tab
^_j Justify (format) the text
^_k Cut text
^_l Refresh screen
^_o Write (save) the file
^_r Read (include) another file
^_t Spell check
^_u Uncut text
^_v Next page
^_w Whereis (search for) text
^_x Exit and save the file
^_y Previous page

☞ xedit Quick Reference ☞ PC, SGI Keyboard

<ESC> Erase EOF
F1 S_FIND
F2 S_CUT
F3 S_COPY
F4 S_PASTE
F5 Switch
F6 C_ENDLine
F7 Backward
F8 Forward
F9 ? (recall)
F10 Cursor home
F11 Undo
F12 = (repeat)
^_a Line add
^_d Line delete
^_p UNIX Shell
^_s Split
^_== Duplicate

══ ☞ emacs Quick ☞══ Reference

^A Go to the beginning of the line
^B Previous character
^C Insert space
^D Delete next character
^E Go to the end of the line
^F Next character
^K Delete to end of line
^N Next line
^O Open (insert) new line
^P Previous line
^R Reverse search from cursor
^S Search from cursor
^T Transpose characters
^V Next screen
^X^I Include new file at the cursor
^X^S Save this buffer to disk
^X! Execute this command
^Z Previous screen
<esc>-C Capitalize word
<esc>-D Delete next word
<esc>-B Backward word
<esc>-F Forward word
<esc>-G Go to line
<esc>-L Change word to lowercase
<esc>-N Front of paragraph
<esc>-P End of paragraph
<esc>-R Word replace
<esc>-U Change word to uppercase
<esc>-^Z Write changes and exit
<esc>-< Beginning of file
<esc>-> End of file
<return> New line

UNIX Editor

Reference Card

Information
Technology



Washington State
University

(revised 4/96)

vi Quick Reference

a	Append text after current position	p	After a yank (y) command, this will place the lines after the current position	^-b	Scrolls screen back a full window
A	Append text after the end of the line	P	After a yank (y) command, this will place the lines before the current position	^-d	Scrolls screen down half a window
b	Move cursor to first character of previous word	r	Replace current character	^-f	Scrolls screen forward full window
cc	Replaces all characters in the current line	s	Deletes the current character and appends text until next <ESC>	^-g	Gives the line number of current position
ncc	Replaces <i>n</i> characters	S	Replaces all the characters in the current line	^-u	Scrolls screen up half a window
cw	Replaces the current word or remaining characters in the word	tX	Move cursor right to character just before character <i>x</i>	^-w	Delete the current word
ncw	Replaces <i>n</i> words	TX	Move cursor left to character just after character <i>x</i>	^-[Escape; leave insert mode
C	Replaces remaining characters in the current line	u	Undo effects of the last command	:	vi command mode
dd	Delete the current line	U	Restores the current line to its state prior to the present changes	:n	Move to line <i>n</i>
ndd	Delete <i>n</i> lines	w	Move cursor to first character in next word	:q	Quit vi
dw	Delete a word from cursor through the next space or punctuation	x	Deletes the current character	:q!	Quit without making any changes
ndw	Delete <i>n</i> words	nY	Yanks (copies) <i>n</i> lines	:r <i>fname</i>	Insert contents of <i>fname</i> at the current position
D	Deletes the current line from the cursor to the end of the line	;	Continue search for character specified by f, F, t or T command	:s/ <i>old_txt</i> / <i>new_txt</i> /	Replaces the first instance of <i>old_txt</i> with <i>new_txt</i> in the current line
e	Move cursor to end of current word	,	Same as ; but searches for previous occurrence	:s/ <i>old_txt</i> / <i>new_txt</i> /g	Replaces every occurrence of <i>old_txt</i> with <i>new_txt</i> on the current line
fX	Move cursor right to character <i>x</i>	.	Repeat action performed by previous command	:g/ <i>old_txt</i> / <i>s</i> // <i>new_txt</i> /g	Replaces every occurrence of <i>old_txt</i> with <i>new_txt</i> in the entire buffer
FX	Move cursor left to character <i>x</i>	+	Move cursor to beginning of next line	:sh	Temporarily return to the shell (use ^-d to exit shell and return to vi)
G	Move cursor to beginning of last line	-	Move cursor up to beginning of next line	:w	Write changes made
nG	Move cursor to beginning of line <i>n</i>	(Move cursor to beginning of sentence	:w <i>fname</i>	Write entire edit file into file named <i>fname</i>
h	Moves the cursor to the left one character)	Move cursor to beginning of next sentence	:x,z w <i>fn</i>	Write the lines <i>x</i> thru <i>z</i> to file named <i>fn</i>
H	Move cursor to first line on screen (Home)	{	Move cursor to beginning of paragraph	:wq	Write changes made and exit
i	Insert text at this position	}	Move cursor to beginning of next paragraph	:\$	Move cursor to beginning of the last line
I	Insert text at beginning of line	@	Erase the current line of text	:. , \$d	Deletes all lines from the current line to the end
j	Moves the cursor down one line	~	Changes the case of the current character	/ <i>pattern</i>	Search for the specified " <i>pattern</i> "
k	Moves the cursor up one line	<ESC>	Escape; leave insert mode	? <i>pattern</i>	Search backward for specified " <i>pattern</i> "
l	Moves the cursor right one character				
L	Move cursor to last line of screen				
M	Move cursor to middle line of screen				
n	Repeat last pattern search command				
N	Repeat last pattern search command in the opposite direction				
o	Add lines following the current position				
O	Add lines above the current position				